

Work Order ID 162425

Tuesday, June 06, 2017 4:57:32 PM

646.3813

B162425

162425

Page 1

Item ID: 646.3813

REV N/C

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: AS350 Strut Bracket

Start Date: 6/9/2017 Start Qty: 6.00

6

Cust Item ID:

Required Date: 6/29/2017 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan:

DAS

21

Date:

JUN 08 2017

Tooling:

Date:

QC:

9-89

Date:

SPC (Y/N):

Date:

Run Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
646.3800	N/C								
100	Cut blanks as per folio	0.00				6	Ø		DAS 32 9-89
100									
Bandsaw	Memo	0.00							
Jeaspa Bandsaw									17-06-12
110	HAAS CNC VERTICAL MACHINING #1	0.00				6	Ø		DAS 32 9-89
110									
Mill Conv	Memo	1.72							
Conventional Milling Machine	1-Machine per DWG DWG REV: N/C								17-06-12
	2- deburr and break all sharp edges								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified	☐	Past Due	☐				

Work Order ID 162425

Tuesday, June 06, 2017 4:57:32 PM

162425

Page 2

Item ID: 646.3813 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AS350 Strut Bracket
Start Date: 6/9/2017 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 6/29/2017 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC2- Inspect parts off machine FAI/FAIB Memo	0.00 0.06				6	Ø		DAS 32 9-89 17-06-12
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.12				6	Ø		DAS 14 9-89 17/06/12
140 *140* Outsource4 Outsource process - Anodize	Outsource process-Anodize per QSI017 4.1.10.1 Memo Issue P/O to ATG : <u>36731</u> 1- Black Anodize as per Dwg 646.3800 2- PRIME AS PER DWG, SEE NOTE #2 Certification of Conformity is required	0.00 1,080.00				6		JUN 16 2017	DAS 13 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 162425

Tuesday, June 06, 2017 4:57:32 PM

162425

Page 3

Item ID: 646.3813 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AS350 Strut Bracket
Start Date: 6/9/2017 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 6/29/2017 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Receive & Inspect for Damage & Mat'l Certs	0.00							
150									
Packaging	Memo	0.12							
Packaging									
155	QC5- Inspect part completeness to step on W/O	0.00							
155									
QC	Memo	0.12							
Quality Control	4.0 mils thickness primer								
180	Identify as per dwg & Stock Location <u>CCK106</u>	0.00							
180									
Packaging	Memo	0.06							
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								

6x SP17-7-25

6
DAS
38
9-89
JUL 26 2017

6
DAS
6
9-89
JUL 27 2017

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 162425

Tuesday, June 06, 2017 4:57:32 PM

162425

Page 4

Item ID: 646.3813 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AS350 Strut Bracket
Start Date: 6/9/2017 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 6/29/2017 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.60							
Quality Control									

17/1/28 

 UY 7/27/17.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Monday, June 05, 2017 4:53:48 PM

Page 139

Work Order ID: 162425

162425

Parent Item: 646.3813

646 3813

Parent Item Name: AS350 Strut Bracket

Start Date: 6/9/2017

Required Date: 6/29/2017

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP REV:A NEW ISSUE 12-10-22 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6A0.75X0.75X 0.060X0.062		Purchased	No			100	f	52.7600	0.11	0.694737			DAS

***M7075T6A0 75X0 75X0 060X0**

17-06-12

**32
989**

7075T6 ANGLE .75" X .75" X .060" X .062"W

Location

Loc Qty

Loc Code

MAT051

52.76

m136405

52.76

1.588'

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03697				SHEET 1 OF 1	
	DWG NO. 646.3800	REV: N/C	PREPARED BY B. PETERS	DATE: 11/14/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: BRACKETS					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER		
TRANSACTION CODES (TC) A-ADD C-CREATE R-REVISE D-DELETE	REASON: ADDED ALTERNATE MATERIAL.				ECR: D-12-006	

IS

1 PRIMARY MATERIAL: 7075-T651 ALUMINUM PER AMS-QQ-A-250/12.
ALTERNATE MATERIAL: 7075-T6511 ALUMINUM PER AMS-QQ-A-200/11.

SHEET 1, ZONE A2 IS:

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *162425 M5*
170608


E/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED:				☐ RFMS ☐ MDL ☐ INSTALL INSTRUC ☐ ICA ☐ BDM	CHANGE CATEGORY ☐ MAJOR ☒ MINOR	DER REVIEW REQUIRED ☐ YES ☒ NO

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED

NOTES:

1. MATERIAL: ALUMINUM 7075-T651 AMS-QQ-A-250/12
2. FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK; CARDINAL 4860-50 PRETREATMENT PRIMER PRIME IAW MIL-P-23377 TYPE I CLASS N
3. DEBURR AND BREAK ALL SHARP EDGES
4. IDENTIFY IAW MPP-120



646.3810




UNINCORPORATED ELEM(S)

03/697


		646.3814	WIPER BRACKET		
		646.3813	STRUT BRACKET		
		646.3812	GUSSET BRACKET		
		646.3811	RADIUS BLOCK		
		646.3810	BRACKET		
	QTY	FIN D #	PART #	DESCRIPTION	MATL SPEC.
PARTS LIST					
NEXT ASSY (S)			APICAL INDUSTRIES		
646.4000			2408 TEMPLE HEIGHTS DR.		
			OCEANSIDE, CA. 92056-3512 (760)724-5300		
			BRACKETS		
ORIGINAL DATE 05-15-08 DRAWN BY CHECKER 10608101 1 BRAND DRAWING APPROVAL:  BRAND ORIGINATOR			SIZE 1/8" X 1/2" X 1/4" SCALE NONE SHEET 1 OF 3		
UNLESS OTHERWISE CHECKED DIMENSIONS ARE IN INCHES TO SPACINGS ARE: 2 PLACE DIMENSIONS: 010 3 PLACE DIMENSIONS: 005 4 PLACE DIMENSIONS: 001			646.3800 REV. N/C		

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.


REVISION			
REV.	DESCRIPTION	DATE	APPROVED



646.3811



3.00



.81



R.19

.19



NEXT ASSY (S)	ORIGINAL DATE	08-19-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA, 92056-3512 (760)724-5300 BRACKETS
	DRAWN BY	CHICOP	
	CHECKED BY		
	DRAWING APPROVAL		
	CONTRACT NO.		SHEET 1 OF 2 B 07M26 SCALE NONE
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES		
			SHEET 2 OF 5

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED




646.3812





NEXT ASSY (S)	ORIGINAL DATE	08 19 08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
	DESIGNED BY	DIRECTOR		
	LEGEND		BRACKETS	
	DRAWING APPROVAL			
	CONTRACT NO.		SCALE NONE	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.010 3 PLACE DECIMALS ±.005 ANGLES ±.5°	SUF CASE CODE	DWG. NO.	REV.
		8 1 07M26	646.3800	N/C
				SHEET 3 OF 5

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED





646.3813





NEXT ASSY (S)	ORIGINAL DATE	08-19-08	APICAL INDUSTRIES	
	DRAWN BY	CHECKED		
	J. GARDNER		2608 TEMPLE HEIGHTS DR.	
	DRAWING APPROVAL		OCEANSIDE, CA 92056-3512 (760)724-5300	
	CONTRACTING		BRACKETS	
	UNLESS OTHERWISE SPECIFIED		SIZE	SCALE
	DIMENSIONS ARE IN INCHES		B	NONE
	TOLERANCES ARE:		07M26	4 OF 5
	2 PLACES DECIMALS ±.010		646.3800	
	3 PLACES DECIMALS ±.005			
	ANGLES ±.5°			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED



646.3814



SECTION A-A

NEXT ASSY (S)	ORIGINAL DATE (MM-DD-YY)	08-19-06	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA, 92056-3512 (760)724-5300	
	DRAWN BY	CHECTH		
	CHECKED BY			
	DRAWING APPROVAL			
	CONTRACTING		BRACKETS	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS ARE 3 PLACE DECIMALS UNLESS NOTED OTHERWISE	SIZE CAGE CODE 6 07M16	DWG. NO. 646.3800	REV N/C
		SCALE NONE	SHEET 5 OF 5	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36731

Purchase Order Date 6/16/2017

PO Print Date 6/28/2017

Page Number 12 of 16

Order From :

VC-ATG001

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 613-446-4544

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

26	162251	646.3811 RADIUS BLOCK REV. N/C	7/21/2017	10.00	\$6.55	\$65.50
			Yes			
			7/21/2017			

AS PER MPP-172 SECTION 2.1,
HARD ANODIZE COLOR BLACK, PER IAW MIL-A-8625 TYPE 3 CLASS 2
AS PER MPP-172 SECTION 4.2,
PRIME AS PER IAW MIL-PRF-23377 TYPE 1 CLASS N

Line Total: \$65.50

27	162425	646.3813 STRUT REV. N/C	7/21/2017	6.00	\$6.10	\$36.60
			Yes			
			7/21/2017			

AS PER MPP-172 SECTION 2.1,
HARD ANODIZE COLOR BLACK, PER IAW MIL-A-8625 TYPE 3 CLASS 2
AS PER MPP-172 SECTION 4.2,
PRIME AS PER IAW MIL-PRF-23377 TYPE 1 CLASS N

Line Total: \$36.60

PO Instructions: PRIMER IS SUPPLIED BY DART

Note:

6/28/2017

SP 17-7-25

DAS
38
9-89



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913567

Date: 21-Jul-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.		
6 ea	Part: 646.3210 Support Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 21244		Rev: N/C PO: PO36731 Line: 21
12 ea	Part: 646.3717 Doubler Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 21246		Rev: A PO: PO36731 Line: 23
6 ea	Part: 646.3813 Strut Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 21250		Rev: N/C PO: PO36731 Line: 27
6 ea	Part: 647.0113 Strut Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 21253		Rev: A PO: PO36731 Line: 30
5 ea	Part: 647.0210 Rail Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0001-.0002" (1		Rev: N/C
Made in Canada.			

8017-7-25

38
9-89



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913567

Date: 21-Jul-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	- 2 mils) per drawing. Job: 21254	PO: PO36731	Line: 31
1 ea	Part: ADMINISTRATION FEE Administrative Fee Job: 21257	Rev: N/A PO: PO36731	Line: 34-35
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>21/07/2017</u> Certified Signature: <u>[Signature]</u> Receiver Signature: <u>8017-7-25</u> A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.			
Made in Canada.			